National Aeronautics and
Space Administration

Goddard Space Flight Center
Greenbelt, Maryland
20771

Reply to Attn of: 900

August 28, 1992

Dear Colleague:

The MODIS Science Data Support Team (SDST) has finished their draft version of the MODIS Software and Data Management Plan. A copy of this plan is enclosed for you to review and make comments, additions and corrections.

The MODIS Software and Data Management Plan is intended to apply to the activities of the complete MODIS Science Team. Once you have approved this plan, with any necessary changes, you will have satisfied the EOS Project's requirement to submit a software and data management plan.

The attached form is provided for your response. If you concur with the current draft of the plan, then please check the concurrence box and return the form to Lloyd Carpenter in the envelope provided.

If this draft version does not adequately cover your software and data management plans for MODIS, then please return your comments, additions and corrections so that they may be incorporated. You may either use the attached form and return envelope, or you may mark up the copy and send it to the same address.

We appreciate your help in completing this plan.

Sincerely,

Al Fleig

Albert J. Fleig

MODIS Software and Data Management Plan

Review

Date _____

I have reviewed the MODIS Software and Data Management Plan and I:

____ concur,

____ am returning the marked-up copy, or

____ have given my comments, additions and corrections below.

Signature: _____

REVIEW COPY

MODIS

Software and Data Management Plan

REVIEW COPY

Table of Contents

1 Introduction 1
1.1 Purpose 1
1.2 Scope 1

2 MODIS End-to-End Data Flow 2
2.1 Space Segment 2
2.2 Ground Segment 2
2.3 Science User Segment 2
2.4 Data Acquisition 2
2.4.1 EOS Data 2
2.4.2 Correlative Data 3

3 MODIS Science Software 3
3.1 Processes and Procedures 3
3.1.1 Product Generation System (PGS) Toolkit 3
3.1.2 Coding Languages 4
3.1.3 Digital Elevation Model 4
3.2 Level-1 Software 4
3.2.1 Level-1 Requirements 4
3.2.2 Level-1 Design 5
3.2.3 Code Development 5
3.2.4 Test Plan & Test Data Development 5
3.2.5 Test and Delivery to ECS 5
3.2.6 Calibration 5
3.2.7 Earth Location 6
3.3 Level-2, 3 and 4 Software 6
3.3.1 Coding Recommendations 6
3.3.2 Higher-Level Processing Shell 6
3.3.3 Review of Team Member Algorithms 7
3.3.4 TM Code Development 7
3.3.5 Integration of Team Member Code 7
3.3.6 Test and Delivery 8
3.3.7 End-to-End Test 8
3.3.8 Post Launch Activities 8
3.4 Utilities 9
3.5 Configuration Management 9
3.6 Reprocessing 9

4 MODIS Data Processing 9
4.1 Data Product Descriptions 9
4.2 Data Calibration 10
4.3 Quality Control (QC) 10
4.4 Data Validation 10

4.5 Data Formats 10
4.6 Quick-Look Data 10
4.7 Browse Data 10
4.8 Special Products 10

5 MODIS Data Storage and Archiving 11

6 MODIS Data Access and Distribution 11

7 MODIS Data Discard Policy 11

8 Post Launch Products 11

Appendix A: Data Dictionary 12

Appendix B: Software Development Schedule 15

Appendix C: MODIS Science Data Products 18

1 Introduction

1.1 Purpose

The purpose of this MODIS Software and Data Management Plan is to address the policy of the MODIS Science Team for management of the MODIS science data and the software which will be developed for the purpose of processing these data and generating data products on an operational basis. This software and data management policy will be coordinated with the Earth Observing System (EOS) Project to assure consistency with the requirements of the EOS Data and Information System (EOSDIS).

1.2 Scope

This MODIS Software and Data Management Plan defines the nature of the software to be developed for processing MODIS science data, and it outlines the procedures to be followed in software development, porting, integration, testing, validation, maintenance, modification, and documentation. Provision is made for a Configuration Management (CM) system to protect the MODIS operational software and data products.

The plan provides for the calibration, validation, earth location, processing, archival and distribution to the science users, within the EOSDIS data management structure. The end-to-end data flow from its origin at the MODIS instrument to the science product archival and distribution is described in the EOSDIS context.

The collection and management of input data, ancillary data and data from external sources is described as they relate to the processing and production of MODIS products. The manner in which reference data for ground control points, digital elevation and terrain models, atmospheric models, coastline definitions, etc. will be collected and integrated into the system is specified.

The Plan describes the output products to be produced, including standard, quicklook, browse, and special products. The descriptions include the volume, product level, and format of the output data. Formats will comply with Investigator Working Group (IWG) approved standards.

The software development and validation schedule is contained in Appendix B. The schedule is based upon three software deliveries prior to launch. Each delivery of software to the EOSDIS Core System (ECS) will include software, input test data and test results, user's guide, operations guide, and software version description. Conformance to the schedule is contingent upon timely provision of resources, support, and information from the EOS Project.

Consideration is given to processing and management of quick look data for field experiments, targets of opportunity and special investigations. A plan is provided for the generation and delivery of metadata and browse products.

The responsibilities of all elements of the MODIS Team are identified in terms of data product requirements, operational scenarios, algorithm integration and testing, design and implementation of the operational processing system, data product validation, integration of computer resources, and development of documentation during the definition, prelaunch and postlaunch phases.

2 MODIS End-to-End Data Flow

MODIS is part of the Earth Observing System (EOS) which consists of the space segment, the ground segment, and the science user segment. (The following sections on the Space Segment and the Ground Segment do not apply to the EOS Color instrument.)

2.1 Space Segment

Two series of MODIS instruments are planned, a morning (AM) series and an afternoon (PM) series. There will be three launches with a MODIS instrument in each series covering three consecutive five-year intervals of operation. Thus, there will be a total of fifteen years of data from each of the series of instruments (AM and PM). The first launch is planned for mid 1998.

The Space Network (SN)/Tracking and Data Relay Satellite System (TDRSS) will be the primary system for relaying data from the instrument to the ground.

2.2 Ground Segment

MODIS data will be downlinked during TDRSS contact periods. The Earth Data and Operations System (EDOS) will perform Level-0 processing on the science, housekeeping, and ancillary data and will provide the data to the Goddard Distributed Active Archive Center (DAAC).

2.3 Science User Segment

The MODIS Science Team is responsible for the science algorithms for generating all science data products, the quality and validity of the results, and the scientific analysis and publication of scientific results.

2.4 Data Acquisition

2.4.1 EOS Data

MODIS instrument data and platform ancillary data will be acquired as stated in the Ground Segment section above. Data from other EOS instruments will also be available directly from the ECS.

2.4.2 Correlative Data

Correlative data which are required by a number of investigators are to be acquired and integrated into the EOSDIS by the EOS Project in a cooperative effort with the Science Team Members. This includes reference data such as ground control point data, digital elevation and terrain models, atmospheric models, coastline definitions, etc.

Each Team Member is responsible for establishing the initial agreement for providing all other non EOS data that are needed to validate MODIS Science Data products. If the data will be supplied on a continuing basis, the SDST will assist the EOS Project in implementing and administering the process. The EOS Project is responsible for reformatting the data as needed for the DADS. The SDST will work with the Project to get publicly available correlative data. The TM is responsible for submitting to the DADS any needed research data which are not generally available. Neither the SDST nor the TMs will reformat correlative data to IWG standards.

3 MODIS Science Software

The MODIS Science Team Leader and Team Members are responsible for the requirements analysis, design, implementation, test plan, test data, all levels of testing, and lifetime evolution, maintenance and updating of the MODIS Science Software. The source code and documentation for every version of every science algorithm will be provided to the Data Archive and Distribution System (DADS), but neither the Team Members nor the SDST will provide support to other users of the software.

The development, porting, integration and testing of MODIS algorithms on schedule for operational processing on the PGS depends upon the timely availability of information and decisions.

3.1 Processes and Procedures

3.1.1 Product Generation System (PGS) Toolkit

The EOS Project intends to provide a PGS Toolkit which will serve to isolate the science software from hardware, system, and language interface library dependencies. The Toolkit will be implemented at the Science Computing Facilities (SCFs) as well as at the PGS. Science software will be developed using the Toolkit as a standard library of callable functions and subroutines including input/output, math and statistics support. Updating and modification of software will be much more straightforward in those cases where the PGS Toolkit is fully utilized. The ability of the SDST and TMs to use the toolkit and deliver software on schedule depends upon timely availability of the PGS Toolkit. It is assumed that the PGS Toolkit will support emulation of parallel processing code if such a CPU is a part of the ECS for MODIS processing.

3.1.2 Coding Languages

All MODIS science software will be programmed in standard versions of C, Fortran (including C++ and Fortran 90), and will be designed to run under UNIX as specified by the EOSDIS. It is assumed that the C and Fortran compilers will support object oriented and parallel processing software if such a CPU is a part of the ECS for MODIS processing.

3.1.3 Digital Elevation Model

MODIS will require a Digital Elevation Model (DEM) for use in processing the science data. MODIS assumes that the EOS Project will provide a standard DEM and a set of calling sequences to be used with the DEM.

3.2 Level-1 Software

The MODIS Science Team Leader has assigned responsibility to the MODIS Science Data Support Team (SDST) for all aspects of the development of the MODIS Level-1A and Level-1B software, except for the MODIS science data calibration, which has been specifically assigned to the MODIS Characterization Support Team (MCST). The SDST schedule for development of MODIS Level-1A and -1B algorithms is given in Appendix B. The schedule is based upon three initial software versions prior to launch. The purpose of the three versions is to:

- ß — Test migration from the SCF to the EOSDIS, exercise interfaces, and test execution in operational environment.
- V1 — Correct any problems in the ß Version, complete operator interface, generate all messages.
- V2 — Software ready for launch. Final integration, test of operations procedures, training of operations staff.

3.2.1 Level-1 Requirements

The SDST is responsible to the MODIS Team Leader for developing the Level-1 requirements which form the basis for the Level-1 software design. There will be a requirements review involving representatives from the MODIS Science Team, the MODIS Characterization Support Team (MCST), and the EOS Project. The software requirements, design, and code will be developed as an iterative process involving the TMs. There will be substantial changes in going from ß to V2.

3.2.2 Level-1 Design

The SDST is responsible for developing the MODIS Level-1A and -1B designs. Computer Aided Software Engineering (CASE) tools, such as Cadre Technologies Teamwork, will be used in the design process. These tools will also be on-line and accessible by the TMs for their use. Each preliminary design will be followed by a Preliminary Design Review (PDR). The design will then be refined and improved. Approval of the final design comes at the Critical Design Review (CDR). The design reviews will involve representatives from the MODIS Science Team, the MODIS Characterization Support Team (MCST), and the EOS Project.

3.2.3 Code Development

The code for implementing the Level-1A and -1B designs will be produced by the SDST.

3.2.4 Test Plan & Test Data Development

The SDST will develop a Level-1 Test Plan and test data sets which will exercise all of the viable branches (within reason) in the code, checking for proper results. The tests will also check for proper functioning of the software in the presence of anomalous or meaningless data.

3.2.5 Test and Delivery to ECS

After the software has been thoroughly tested on the TLCF, the SDST is responsible for porting the software to the EOSDIS Product Generation Service (PGS) and participating in the test process in the PGS.

3.2.6 Calibration

The MODIS Characterization Support Team (MCST) is responsible to the MODIS Science Team Leader for the development of the MODIS calibration algorithms and the implementing code. The calibration code will be delivered to the SDST for optimization and integration into the MODIS Level-1B software. The delivery will contain:

- source code, installation instructions and "make" file
- operating instructions, and other documentation,
- test input and output data sets which test all paths in the code
- test drivers which run the code with the input test data, compare the results with the corresponding output data sets, and flag any inconsistencies.

Since calibration changes will produce changes in product values, it is important that implementation of calibration changes be closely coordinated with Science Team Members.

3.2.7 Earth Location

The Earth-surface locations of MODIS pixels will be computed based upon the position and attitude of the spacecraft, the location and orientation of the MODIS instrument on the spacecraft, the pointing angles, any available corrections to these parameters, and the surface height as provided from a model (spherical, ellipsoidal, geoidal, or digital elevation). Earth location information will be included in the Level-1B product.

3.3 Level-2, 3 and 4 Software

The MODIS Science Team Leader and Team Members are responsible for the development of their own MODIS Level-2, 3, and 4 algorithms. (To avoid awkward terminology, in the following discussion the term "Higher-Level" is used to cover Levels-2, 3 and 4.) A list of all of the MODIS Science Data Products is given in Appendix C together with the names of the responsible Team Members.

The SDST is responsible for integrating the Team Members code into the Higher-Level Processing Shell and porting it to the PGS. The Team Members are responsible for timely delivery of their product generation software to the SDST (see Appendix B) and for the correct operation of their code on the PGS. Team Members will provide three versions of the code, ß, V1, and V2, for the Higher-Level algorithms before launch. Final responsibility for delivering code which can operate correctly in the ECS environment rests with the TM.

MODIS Science Team Members are responsible for the accuracy of the data products generated by their algorithms. Achievement must be a collaborative effort involving the TMs, the SDST and the Project.

3.3.1 Coding Recommendations

The SDST will generate a document of coding recommendations for MODIS Science Team Members. The recommendations will be designed to facilitate porting, integration, testing, operation and updating of the Team Members code on the EOSDIS. The coding recommendations will be revised as the process becomes more mature. Portability limitations must be minimized, but it is recognized that in some cases strict portability can be achieved only with a severe sacrifice of efficiency.

3.3.2 Higher-Level Processing Shell

The SDST is responsible for the design, development and testing of the MODIS Higher-Level Processing Shell which will be used to integrate the code provided by Team Members into an

operational system on the EOSDIS. The Higher-Level Processing Shell will be provided in three versions, ß, V1 and V2, with V2 being the operational version at launch. Iteration with the TMs will be emphasized during the Shell development.

3.3.3 Review of Team Member Algorithms

The MODIS Science Team will establish a process for science review of Team Member algorithms. Progress review for the EOS Project will be on an annual basis. The SDST and Team Members will conduct iterative reviews of algorithm status.

3.3.4 TM Code Development

MODIS Team Members are responsible for developing the code for their own algorithms. The ß, V1 and V2 versions will be completed and delivered according to the schedule in Appendix B, to provide time for integration, testing and delivery to the EOSDIS. Early availability of the coding recommendations and the PGS toolkit are essential prerequisites to meeting the software development schedule.

##########################

Miami will provide a section here on Oceans algorithms.

##########################

3.3.5 Integration of Team Member Code

Each Team Member is responsible, with the assistance of the SDST, for porting his code to the PGS and integrating the code into the Higher-Level Processing Shell. This will be an iterative process wherein the TM delivers the latest version of the:

- source code, installation instructions and "make" file,
- operating instructions, and other documentation (standards to be supplied (TBS)),
- test input and output data sets which test all paths in the code
- test drivers which run the code with the input test data, compare the results with the corresponding output data sets, and flag any inconsistencies.

The SDST will port the software to the PGS and run the test cases. It is anticipated that the SDST will have to modify the code to account for differences in environment between the development machine and the PGS. Only necessary changes will be made. If serious problems

are encountered in porting the code or in the test results, these will be resolved by the SDST and the TM working together. Although most of this work will be done on the TLCF, our responsibility is to get the code to work on the PGS.

After the TM code has been successfully ported to the PGS, the SDST will integrate the ported code into the Higher-Level processing shell. The integration will not change the scientific processes except to port the code, optimize, and integrate. Again, it will be necessary for the SDST and the TM to work together to resolve any serious problems which arise in the integration process.

It will be necessary for the SDST and the TMs to closely coordinate their efforts during the porting and integration phases. To avoid making conflicting changes to the same parts of the code, the current version will be updated as necessary by the SDST. Then the updated version will be passed back to the TM for the next round of changes. As long as the SDST can restrict their changes to interfacing with the environment, and the TMs concentrate on the scientific aspects, it should be possible to resolve all differences and end up with code which generates correct data products while functioning properly in the PGS.

All TM provided code must be routed through the SDST before it goes on the PGS

3.3.6 Test and Delivery

After the integration is completed, the SDST will deliver the software to the EOSDIS for testing in the operational environment.

3.3.7 End-to-End Test

Before launch, the SDST will work with the TMs to perform an end-to-end test using simulated data to check out the complete system from receipt of Level-0 data through Level-1A and Level-1B processing, including calibration, and the generation of all standard Level-2 before-launch products.

3.3.8 Post Launch Activities

There will be many updates and refinements of all levels of algorithms after launch. In the post-launch era, the SDST will continue the previous support in addition to supporting algorithm updating, refinement or replacement, the generation of special products, and quality assurance of products. The Level-1A algorithm will require adjustment to accommodate any unforseen anomalies in the Level-0 data. The calibration algorithms and coefficients are expected to change as soon as sufficient real MODIS data are available for evaluation and comparison of various calibration alternatives. The calibration modules in the Level-1B processing code will require modification. Refinements are expected in many of the Higher-Level algorithms as various manifestations are detected in the data. A period of intense software activity is expected, involving interaction among all members of the MODIS team.

3.4 Utilities

The SDST will develop utility software for generating MetaData and Browse data, for Earth location/matching to in situ data, for data conversion, resampling, subsampling, etc.

3.5 Configuration Management

The operational software is under EOSDIS configuration management control to assure the identification of data products with the associated processing software versions, and to assure that modified software is adequately tested before being implemented. The SDST provides the documentation to the PGS to support configuration management.

Configuration management is not intended to inhibit the use of development versions of the code to test algorithm variations and new techniques. As new software is proven and tested, it will be incorporated into the operational version through the approved configuration management process.

During the iterative period of porting and integration, the CM must keep track of versions, making sure that new code has a new ID number, but not hampering the process.

During the first 18 (or perhaps 36) months after launch, it will be necessary to operate at a reduced level of configuration management control of algorithm updates in order to permit TMs to respond to new information and preliminary results, and to refine and improve their algorithms in a timely manner. During this interim period, TMs will have CM control of their algorithms, making changes as often as required, with the condition that no changes will be permitted which will overwhelm the system. During this period after launch, the CM system will keep records of versions of software used to generate the products, with the TMs retaining control over which version is to be used for production. Decisions to reprocess all data using a new software version must be coordinated with the Project, giving consideration to the availability of resources.

3.6 Reprocessing

The procedure for initiating reprocessing is TBD.

4 MODIS Data Processing

4.1 Data Product Descriptions

The MODIS Science Data Products are tabulated in Appendix C along with the responsible Team Members.

4.2 Data Calibration

The MCST is responsible to the MODIS Science Team Leader and Team Members for the MODIS science data calibration on a continuing basis throughout the experiment. Modifications to the calibration algorithms and/or coefficients will be incorporated into the operational system by the SDST.

4.3 Quality Control (QC)

The SDST will work with the Team Members and the MCST on QC which can be automated, to the extent that the TM specifies. The SDST will implement the generation of QC messages, review messages in a timely manor, and notify the TM of problems. The SDST will act on QC messages indicating coding problems in the Higher-Level software or the Level-2 Processing Shell. Team Members are responsible for QC messages with science implications.

4.4 Data Validation

The MODIS Science Team Members and the MCST are responsible for validation of their data products commensurate with available resources. The SDST supports implementation of the TM approach and provides validation products.

4.5 Data Formats

Data formats will be specified by EOS policy. All MODIS science data products will be output in the specified format.

4.6 Quick-Look Data

TBD

4.7 Browse Data

TBD

4.8 Special Products

TBD

5 MODIS Data Storage and Archiving

MODIS data storage and archiving are the responsibility of the DAACs. The TLCF and SCFs will have adequate storage to support development, integration and testing, but no archiving.

6 MODIS Data Access and Distribution

MODIS data access and distribution are the responsibility of the DAACs.

7 MODIS Data Discard Policy

Policy governing discarding of EOS data is TBD. The SDST assumes that Level-0 MODIS data will be maintained for the life of the MODIS project.

8 Post Launch Products

The development of post-launch products will follow the same guidelines as those for at-launch products.

Appendix A: Data Dictionary

ALGORITHMS consist of the executable programs for science product generation, source code of these executable programs, job control scripts, and algorithm documentation. Algorithms are the result of new or updated science code passing through the integration and test process, involving the scientist and the PGS's algorithm integration and test staff. After formal approval, algorithms are delivered by the PGS to the DADS for storage, and are retrieved as needed to support product generation. The DADS shall also archive algorithms contributed as EOSDIS resources by other data centers. Some frequently used algorithms may also be kept on line in the PGS. Algorithms shall be orderable and distributed to authorized users. Algorithm support is not provided for outside users either by the SDST or the Science Team Members.

ALGORITHM INTEGRATION is the process of linking code from several algorithms into the MODIS Higher-Level processing shell to form an executable program suite. The processing shell contains instructions that control the sequence of execution and the interchange of data between programs from the executable program suite.

ALGORITHM UPDATES are delivered to the PGS's integration and test environment by scientists at an SCF. They represent changes to existing production algorithms, or new algorithms to produce new Standard Products. Algorithm updates include the source code for the candidate algorithm, its associated documentation, a job step control skeleton, test data sets and expected test results.

ANCILLARY DATA refers to any data, other than Standard Products, that are required as input in the generation of a Standard Product. This may include selected engineering data from the EOS platform, ephemeris data, as well as non-EOS ancillary data. All ancillary data is received by the PGS from the DADS.

AT-LAUNCH PRODUCTS are data products for which algorithms are scheduled to be completed and operational at launch time. Generation of the at-launch products will begin as soon as data are available.

ß VERSION SOFTWARE is the preliminary version of software used to establish system performance and check interfaces.

BROWSE DATA TBS

CALIBRATION is the process of removing biases from the measurements. The information required to perform calibration of the instrument science data will include instrument engineering data, spacecraft or platform engineering data, pre-flight calibration measurements, in-flight calibrator measurements, ground truth data, and calibration equation coefficients derived using calibration software.

COMPUTER AIDED SOFTWARE ENGINEERING (CASE) TOOLS TBS

CONFIGURATION MANAGEMENT TBS

MODIS CHARACTERIZATION SUPPORT TEAM TBS

ON TIME QA is a response to a data quality request that is received within the established production time window. It is received from a scientist at an SCF. It consists of data which will be used to complete the QA fields of the metadata. Overdue QA responses are sent directly to the DADS.

POST-LAUNCH PRODUCTS are data products for which algorithms are scheduled to be developed at some time after launch.

PRELIMINARY DESIGN REVIEW (PDR) TBS

QUICK-LOOK DATA TBS

SCIENCE DATA SUPPORT TEAM (SDST) TBS

SOFTWARE INTEGRATION. See algorithm integration.

SOFTWARE PORTING TBS

SPECIAL PRODUCTS are special science data products consisting of L1A, L1B, L2, L3, and L4 which are produced at the SCFs. These shall be archived at the DADS and distributed to authorized requestors.

TEAM LEADER COMPUTING FACILITY (TLCF) TBS

TEST PRODUCTS are science products generated by new or updated algorithms during the integration and test period. Test products are delivered to scientists at an SCF.

TEST PRODUCT REVIEWS are evaluations of test products that are used to determine how to proceed in the integration and test process for a new or updated algorithm. A review may indicate the need for further algorithm refinement, or it may indicate that a candidate algorithm is ready for formal adoption into the production environment. Test product reviews are received by the PGS from scientists at an SCF.

VERSION 1 SOFTWARE TBS

VERSION 2 SOFTWARE TBS

Appendix B: Software Development Schedule



MODIS SDST, June 11, 1992

✡ Initial Delivery

MODIS\PLANS\GHANT.08E

REVIEW COPY



MODIS SDST, April 13, 1992

MODIS\PLANS\GHANT.08E

REVIEW COPY

Appendix C: MODIS Science Data Products

The following pages contain the MODIS Data Products List generated by the Science Processing Support Office.

Prod #	Product Name	Cat	Investigator	Instrument	Platform	DAAC	Time frame	Units	Accuracy Abs :: Rel	Temporal Resolution	Horizontal Resol. :: Cover.	Vertical Resol. :: Cover.
2575	*Chlorophyll Fluorescence Line Height*	OB	Abbott	MODIS	AM,PM	GSFC	AL	mW/cm^2/sr/u	.004 :: .001	1/day, 1/wk	4 km :: Ocean/G,R	N/A :: TOO
2576	Chlorophyll Fluorescence Line Height	OB	Abbott	MODIS	AM,PM	GSFC	AL	mW/cm^2/sr/u	.004 :: .001	1/day, 1/wk	1 km :: Ocean/R,L	N/A :: TOO
2566	Chlorophyll_a Conc (via Fluorescence)	OB	Abbott	MODIS	AM,PM	GSFC	PL	mg/m^3	50-100% :: 35%	1/day, 1/wk	1 km :: Ocean/R,L	N/A :: TOO
2567	Chlorophyll_a Conc (via Fluorescence)	OB	Abbott	MODIS	AM,PM	GSFC	PL	mg/m^3	50-100% :: 35%	1/day, 1/wk	4 km :: Ocean/G,R	N/A :: TOO
2602	Ocean Productivity, Primary, Near_sfc [via Fluorescence]	OB	Abbott	MODIS	AM,PM	GSFC	PL	mg-C/m^3/day	:: 50-100%	1/day, 1/wk	1 km :: Ocean-I/R,L	N/A :: TOO
2603	Ocean Productivity, Primary, Near_sfc [via Fluorescence]	OB	Abbott	MODIS	AM,PM	GSFC	PL	mg-C/m^3/day	:: 50-100%	1/day, 1/wk	4 km :: Ocean-I/G,R	N/A :: TOO
2110	Land_sfc Emissivity	LR	Barton	MODIS	AM,PM	EDC	PL	dimensionless	0.01 :: 0.01	1/day, 1/wk	1 km :: G,R	N/A :: Sfc
2111	Land_sfc Emissivity	LR	Barton	MODIS	AM,PM	EDC	PL	dimensionless	0.01 :: 0.01	1/day, 1/wk	50 km :: G,R	N/A :: Sfc
2527	*Sea_sfc Temperature (SST)*	OR	Brown	MODIS	AM,PM	GSFC	AL	K	0.3-0.5 K :: 0.1-0.3 K	1/day, 1/wk, 1/mo	1 km :: Ocean/L	N/A :: Sfc
2528	Sea_sfc Temperature (SST)	OR	Brown	MODIS	AM,PM	GSFC	AL	K	0.3-0.6K :: 0.1-0.3K	1/day, 1/wk, 1/mo	20 km :: Ocean/G,R	N/A :: Sfc
2529	Sea_sfc Temperature (SST)	OR	Brown	MODIS	AM,PM	GSFC	AL	K	0.3-0.6K :: 0.1-0.3K	1/day, 1/wk, 1/mo	4 km :: Ocean/R,L	N/A :: Sfc
2530	Sea_sfc Temperature (SST)	OR	Brown, Barton	MODIS	AM,PM	GSFC	AL	K	0.3-0.6K :: 0.1-0.3K	1/day, 1/wk, 1/mo	4 km :: Ocean/R,L	N/A :: Sfc
2531	Sea_sfc Temperature (SST)	OR	Brown, Barton	MODIS	AM,PM	GSFC	AL	K	0.3-0.6K :: 0.1-0.3K	1/day, 1/wk, 1/mo	20 km :: Ocean/G,R	N/A :: Sfc
2532	Sea_sfc Temperature (SST)	OR	Brown, Barton	MODIS	AM,PM	GSFC	AL	K	0.3-0.4K :: 0.1-0.6K	1/day, 1/wk, 1/mo	50 km :: Ocean	N/A :: Sfc
2569	Chlorophyll_a Conc	OB	Carder	MODIS	AM,PM	GSFC	AL	mg/m^3	50% :: 10%	1/day, 1/wk, 1/mo	1 km :: Ocean-II/ L	N/A :: TOO
2570	Chlorophyll_a Conc	OB	Carder	MODIS	AM,PM	GSFC	AL	mg/m^3	50% :: 10%	1/day, 1/wk, 1/mo	1 km :: Ocean-II/G,R	N/A :: TOO
2580	Organic Matter Conc, Dissolved	OB	Carder	MODIS	AM,PM	GSFC	PL	mg/m^3	150% :: 30%	1/day, 1/wk, 1/mo	20 km :: Ocean	N/A :: TOO
2581	Organic Matter Conc, Dissolved	OB	Carder	MODIS	AM,PM	GSFC	PL	mg/m^3	150% :: 30%	1/day, 1/wk, 1/mo	1 km :: Ocean/R,L	N/A :: TOO
3662	Organic Matter Degradation_Product Absorption Coef@415nm (DOM+Detritus)	OB	Carder	MODIS	AM,PM	GSFC	AL	/m	40% :: 15%	1/day, 1/wk, 1/mo	20 km :: Ocean	N/A :: TOO
3663	Organic Matter Degradation_Product Absorption Coef@415nm (DOM+Detritus)	OB	Carder	MODIS	AM,PM	GSFC	AL	/m	40% :: 15%	1/day, 1/wk, 1/mo	1 km :: Ocean/R,L	N/A :: TOO
2571	*Chlorophyll_a Conc*	OB	Clark	MODIS	AM,PM	GSFC	AL	mg/m^3	30% :: 10%	1/day, 1/wk, 1/mo	1 km :: Ocean-I/ L	N/A :: TOO
2572	*Chlorophyll_a Conc*	OB	Clark	MODIS	AM,PM	GSFC	AL	mg/m^3	30% :: 10%	1/day, 1/wk, 1/mo	20 km :: Ocean-I/G,R	N/A :: TOO
2031	Ocean Water Attenuation Coef, PAR	OR	Clark	MODIS	AM,PM	GSFC	PL	/m	35% :: 10%	1/day, 1/wk	1 km :: Ocean-I/L	N/A :: TOO
2032	Ocean Water Attenuation Coef, PAR	OR	Clark	MODIS	AM,PM	GSFC	PL	/m	35% :: 10%	1/day, 1/wk	20 km :: Ocean-I	N/A :: TOO
3206	Ocean Water Attenuation Coef@520nm, Beam	OR	Clark	MODIS	AM,PM	GSFC	PL	/m	35% :: 10%	1/day, 1/wk	1 km :: Ocean	N/A :: TOO
3207	Ocean Water Attenuation Coef@520nm, Beam	OR	Clark	MODIS	AM,PM	GSFC	PL	/m	35% :: 10%	1/day, 1/wk	20 km :: Ocean	N/A :: TOO
2608	Organic Matter Conc, Particulate	OB	Clark	MODIS	AM,PM	GSFC	PL	mg/m^3	50% :: 30%	1/day, 1/wk	20 km :: Ocean	N/A :: TOO
3664	Organic Matter Conc, Particulate	OB	Clark	MODIS	AM,PM	GSFC	PL	mg/m^3	50% :: 30%	1/day, 1/wk	1 km :: Ocean-I/L	N/A :: TOO
3085	Suspended-Solids Conc, Ocean Water	OC	Clark	MODIS	AM,PM	GSFC	AL	g/m^3	50% :: 35%	1/day, 1/wk, 1/mo	20 km :: Ocean	N/A :: TOO
3086	Suspended-Solids Conc, Ocean Water	OC	Clark	MODIS	AM,PM	GSFC	AL	g/m^3	50% :: 35%	1/day, 1/wk, 1/mo	1 km :: Ocean/R,L	N/A :: TOO
2606	Ocean Productivity, Primary	OB	Esaias	MODIS	AM,PM	GSFC	AL	mg/m^3	<35% :: <20%	1/wk, 1/mo, 1/yr	20 km :: Ocean/G,R	N/A :: TOO
2330	PAR	AR	Esaias	MODIS	AM,PM	GSFC	PL	quanta/m^2/s	TBD :: TBD	1/day	N/A :: G	N/A :: Atmos
3303	Calibration Data, MODIS	IC	Evans	MODIS	AM,PM	GSFC	AL	variable		1/day, 1/wk, 1/mo	N/A :: Ocean/G,R,L	N/A :: Sfc
2295	*Aerosol Angstrom Exponent*	AR	Gordon	MODIS	AM,PM	GSFC	AL	dimensionless	15% :: 5%	1/day, 1/wk, 1/mo	1 km :: Ocean/R,L	N/A :: Atmos
2296	*Aerosol Angstrom Exponent*	AR	Gordon	MODIS	AM,PM	GSFC	AL	dimensionless	15% :: 5%	1/day, 1/wk, 1/mo	20 km :: Ocean	N/A :: Atmos
2344	*Aerosol Radiance*	AR	Gordon	MODIS	AM,PM	GSFC	AL	mW/cm^2/sr/u	10% :: 5%	1/day, 1/wk, 1/mo	1 km :: Ocean/G,R,L	N/A :: Atmos
2345	*Aerosol Radiance*	AR	Gordon	MODIS	AM,PM	GSFC	AL	mW/cm^2/sr/u	10% :: 5%	1/day, 1/wk, 1/mo	20 km :: Ocean/G,R,L	N/A :: Atmos
2556	Coccolith Backscatter Coef	OR	Gordon	MODIS	AM,PM	GSFC	PL	/m	25% :: 10%	1/day, 1/wk, 1/mo	1 km :: Ocean/R	N/A :: TOO
2557	Coccolith Backscatter Coef	OR	Gordon	MODIS	AM,PM	GSFC	PL	/m	25% :: 10%	1/day, 1/wk, 1/mo	20 km :: Ocean	N/A :: TOO
2254	Glint Field	OR	Gordon	MODIS	AM,PM	GSFC	PL	dimensionless		1/orbit [d]	1 km :: Ocean/R	N/A :: Sfc

Output Data Products Listed by Instrument

Prod #	Product Name	Cat	Investigator	Instrument	Platform	DAAC	Time frame	Units	Accuracy Abs :: Rel	Temporal Resolution	Horizontal Resol. :: Cover.	Vertical Resol. :: Cover.
2559	Ocean Water Backscatter Coef, Total	OR	Gordon	MODIS	AM,PM	GSFC	PL	/m	25% :: 10%	1/day, 1/wk, 1/mo	1 km :: Ocean/R	N/A :: TOO
2560	Ocean Water Backscatter Coef, Total	OR	Gordon	MODIS	AM,PM	GSFC	PL	/m	25% :: 10%	1/day, 1/wk, 1/mo	20 km :: Ocean	N/A :: TOO
2266	PAR, Sfc (IPAR)	AR	Gordon	MODIS	AM,PM	GSFC	AL	quanta/m^2/s	10% :: 5%	1/day [d]	1 km :: Ocean/L	N/A :: Sfc
2267	PAR, Sfc (IPAR)	AR	Gordon	MODIS	AM,PM	GSFC	AL	quanta/m^2/s	10% :: 5%	1/day [d]	1 km :: Ocean	N/A :: Sfc
2555	Phytoplankton Backscatter Coef	OR	Gordon	MODIS	AM,PM	GSFC	PL	soft, med, hard		1/day, 1/wk, 1/mo	1 km :: Ocean/R	N/A :: TOO
2558	Phytoplankton Backscatter Coef	OR	Gordon	MODIS	AM,PM	GSFC	PL	soft, med, hard		1/day, 1/wk, 1/mo	20 km :: Ocean	N/A :: TOO
1688	Wind Velocity, Sea_sfc Glint-Pattern	OR	Gordon	MODIS	AM,PM	GSFC	PL	m/s		1/orbit [d]	1 km :: Ocean/R	N/A :: Sfc
2416	*Level-2 Radiance, Water-leaving*	OR	Gordon et al	MODIS	AM,PM	GSFC	AL	mW/cm^2/sr/u	5% :: 5%	1/day, 1/wk, 1/mo	1 km :: Ocean/R,L	N/A :: Sfc
2417	*Level-2 Radiance, Water-leaving*	OR	Gordon et al	MODIS	AM,PM	GSFC	AL	mW/cm^2/sr/u	5% :: 5%	1/day, 1/wk, 1/mo	20 km :: Ocean/G,R	N/A :: Sfc
2577	Coccolith Conc, Detached	OB	Gordon, Clark	MODIS	AM,PM	GSFC	AL	mg-CaCO3/m^3	30% :: 10%	1/day, 1/wk, 1/mo	20 km :: Ocean/G,R	N/A :: TOO
2578	Coccolith Conc, Detached	OB	Gordon, Clark	MODIS	AM,PM	GSFC	AL	mg-CaCO3/m^3	30% :: 10%	1/day, 1/wk, 1/mo	1 km :: Ocean/L	N/A :: TOO
3199	Ocean Water Attenuation Coef@490nm	OR	Gordon, Clark	MODIS	AM,PM	GSFC	AL	/m	25% :: 10%	1/day, 1/wk, 1/mo	20 km :: Ocean-I/ R,L	N/A :: TOO
3200	Ocean Water Attenuation Coef@490nm	OR	Gordon, Clark	MODIS	AM,PM	GSFC	AL	/m	25% :: 10%	1/day, 1/wk, 1/mo	1 km :: Ocean-I/ R,L	N/A :: TOO
2591	Pigment Conc	OB	Gordon, Clark	MODIS	AM,PM	GSFC	AL	mg/m^3	30% :: 10%	1/day, 1/wk, 1/mo	20 km :: Ocean/G,R	N/A :: TOO
2592	Pigment Conc	OB	Gordon, Clark	MODIS	AM,PM	GSFC	AL	mg/m^3	30% :: 10%	1/day, 1/wk, 1/mo	1 km :: Ocean/R,L	N/A :: TOO
2574	*Chlorophyll Fluorescence Line Curv*	OB	Hoge	MODIS	AM,PM	GSFC	AL	mW/cm^2/sr/u	25% :: 8%	1/day, 1/wk	20 km :: Ocean	N/A :: TOO
2573	Chlorophyll Fluorescence Line Curv	OB	Hoge	MODIS	AM,PM	GSFC	AL	mW/cm^2/sr/u	25% :: 8%	1/day, 1/wk	1 km :: Ocean/R	N/A :: TOO
3317	*Organic Matter Fluorescence Efficiency, Colored Dissolved [CDOM*	OB	Hoge	MODIS	AM,PM	GSFC	AL	dimensionless	100% :: 50%	1 day,wk,mo	20 km :: Ocean/GR	N/A :: TOO
3318	*Organic Matter Fluorescence Efficiency, Colored Dissolved [CDOM*	OB	Hoge	MODIS	AM,PM	GSFC	AL	dimensionless	100% :: 50%	1 day,wk,mo	1 km :: Ocean/RL	N/A :: TOO
3319	Pigment Conc, Phycobillin [Phycoerythrin, etc.]	OB	Hoge	MODIS	AM,PM	GSFC	PL	mg/m^3	50% :: 15%	1 day,wk,mo	20 km :: Ocean/GR	N/A :: TOO
3320	Pigment Conc, Phycobillin [Phycoerythrin, etc.]	OB	Hoge	MODIS	AM,PM	GSFC	PL	mg/m^3	50% :: 15%	1 day,wk,mo	1 km :: Ocean/RL	N/A :: TOO
2593	Pigment Conc [via Spectral Curv]	OB	Hoge, Esaias	MODIS	AM,PM	GSFC	PL	mg/m^3	50% :: 15%	1/day, 1/wk	1 km :: Ocean/R	N/A :: TOO
2594	Pigment Conc [via Spectral Curv]	OB	Hoge, Esaias	MODIS	AM,PM	GSFC	PL	mg/m^3	50% :: 15%	1/day, 1/wk	20 km :: Ocean/R	N/A :: TOO
2537	Land_sfc Temperature-Difference, Day-Night	LR	Huete	MODIS	AM,PM	GSFC	PL	K	1 K :: 1 K	1/day	1 km :: Land/R	N/A :: Sfc
2286	Level-1B Radiance Mixture-Model, MODIS Spectral-spatial	AR	Huete	MODIS	AM,PM	GSFC	PL	dimensionless	5-10% :: 0.05	1/day	pixel_size :: G	N/A :: Sfc
2047	Soil Brightness Index	LR	Huete	MODIS	AM,PM	EDC	AL	dimensionless	5% :: 5%	1/mo	1 km :: Land/R	N/A :: Sfc
2095	Soil Color Index	LR	Huete	MODIS	AM,PM	EDC	PL	class	10% :: 5%	1/mo	1 km :: Land/R	N/A :: Sfc
3703	Vegetation Index Temporal Signal	LB	Huete, Justice	MODIS	AM,PM	EDC	PL	dimensionless	0.02 :: 0.01	1/yr (weekly points)	1 km :: Land/R	N/A :: Sfc
3701	Vegetation Index, Composited, Sfc	LB	Huete, Justice	MODIS	AM,PM	EDC	AL	dimensionless	0.02 :: 0.01	1/wk	1 km :: Land/R	N/A :: Sfc
3700	Vegetation Index, Hemispherical, Sfc	LB	Huete, Justice	MODIS	AM,PM	EDC	PL	dimensionless	0.02 :: 0.01	1 wk, 1 mo	1 km :: Land/R	N/A :: Sfc
3702	Vegetation Index, Integrated Annual	LB	Huete, Justice	MODIS	AM,PM	EDC	PL	dimensionless	0.02 :: 0.01	1/yr	1 km :: Land/R	N/A :: Sfc
3699	Vegetation Index-Directional Reflectances, Atmosphere-Corrected [O3 & molecular scattering]	LB	Huete, Justice	MODIS	AM,PM	EDC	AL	dimensionless	0.02 :: 0.01 [if low aerosols]	1/day	500 m :: Land/R	N/A :: TOA
3704	Vegetation Index [Self_Atmospheric-Correcting, TOA]	LB	Huete, Justice, Kaufman, Tanre	MODIS	AM,PM	EDC	AL	dimensionless	0.02 :: 0.01	1/day	1 km :: Land/R	N/A :: TOA
2659	Vegetation Growing_Season Duration	LB	Justice	MODIS	AM,PM	EDC	PL	day	10 day ::	1/yr	1 km :: Land	N/A :: Sfc
2660	Vegetation Growing_Season Duration	LB	Justice	MODIS	AM,PM	EDC	PL	day	10 day ::	1/yr	10 km :: Land	N/A :: Sfc
2749	*Vegetation Index*	LB	Justice, Huete et al	MODIS	AM,PM	EDC	AL	dimensionless	0.01 :: 0.01	1/day, 1/wk, 1/mo	10 km :: Land	N/A :: Sfc
2750	*Vegetation Index*	LB	Justice, Huete et al	MODIS	AM,PM	EDC	AL	dimensionless	0.01 :: 0.01	1/day, 1/wk, 1/mo	0.5 km :: Land/R	N/A :: Sfc
2751	*Vegetation Index*	LB	Justice, Huete et al	MODIS	AM,PM	EDC	AL	dimensionless	0.01 :: 0.01	1/day, 1/wk, 1/mo	1 km :: Land/R	N/A :: Sfc
3304	Data Characteristics, MODIS	IC	Justice, Strahler	MODIS	AM,PM	GSFC	PL	dimensionless	30,10, 5% ::	1/day	1 km :: G	N/A :: Sfc

Prod #	Product Name	Cat	Investigator	Instrument	Platform	DAAC	Time frame	Units	Accuracy Abs :: Rel	Temporal Resolution	Horizontal Resol. :: Cover.	Vertical Resol. :: Cover.
3305	Data Characteristics, MODIS	IC	Justice, Strahler	MODIS	AM,PM	GSFC	PL	dimensionless	30,10, 5% ::	1/day	10 km :: G	N/A :: Sfc
3306	Data Characteristics, MODIS	IC	Justice, Strahler	MODIS	AM,PM	GSFC	PL	dimensionless	30,10, 5% ::	1/day	50 km :: G	N/A :: Sfc
2068	Cloud Field Area	AH	Kaufman	MODIS	AM,PM	GSFC	PL	km^2		1/mo	1 dg :: G	N/A :: Sfc
2092	Cloud Field Perimeter	AH	Kaufman	MODIS	AM,PM	GSFC	PL	km		1/mo	1 dg :: G	N/A :: Sfc
2429	Land_sfc Reflectance, Directional	LR	Kaufman et al	MODIS	AM,PM	EDC	AL	dimensionless	0.01 :: 0.005	1/day	1 km :: G	N/A :: Sfc
2430	Land_sfc Reflectance, Directional	LR	Kaufman et al	MODIS	AM,PM	EDC	AL	dimensionless	0.01 :: 0.005	1/day	0.5 km :: G	N/A :: Sfc
2431	Land_sfc Reflectance, Directional	LR	Kaufman et al	MODIS	AM,PM	EDC	AL	dimensionless	0.01 :: 0.005	1/day	0.25 km :: G	N/A :: Sfc
2711	Fire Class	LB	Kaufman, Justice	MODIS	AM,PM	EDC	AL	C	10 C :: 5 C	1/day, 1/wk	10 km :: Land	N/A :: Sfc
2663	*Fire Count*	LB	Kaufman, Justice	MODIS	AM,PM	EDC	AL			1/day, 1/wk	1 km :: Land/R	N/A :: Sfc
2664	*Fire Count*	LB	Kaufman, Justice	MODIS	AM,PM	EDC	AL			1/day, 1/wk	10 km :: Land	N/A :: Sfc
2665	*Fire Extent*	LB	Kaufman, Justice	MODIS	AM,PM	EDC	AL			1/day, 1/wk	1 km :: Land/R	N/A :: Sfc
2666	*Fire Extent*	LB	Kaufman, Justice	MODIS	AM,PM	EDC	AL			1/day, 1/wk	1 dg :: Land	N/A :: Sfc
2471	*Fire Temperature*	LB	Kaufman, Justice	MODIS	AM,PM	EDC	AL	C	10 C :: 5 C	1/day, 1/wk	1 km :: Land/R	N/A :: Sfc
1017	*Aerosol Mass Loading*	AC	Kaufman, Tanre	MODIS	AM,PM	GSFC	AL	g/m^2	30% :: 10%	1/day,1/mo	0.5 dg :: G,R	N/A :: Atmos
2293	*Aerosol Optical Depth, Spectral*	AR	Kaufman, Tanre	MODIS	AM,PM	GSFC	AL	dimensionless	0.1 :: 0.05	1/day, 1/mo	0.5 dg :: Land	N/A :: Atmos
2379	Level-2 Radiance, Land_leaving	LR	Kaufman, Tanre	MODIS	AM,PM	GSFC	AL	W/m^2/sr/um	10% :: 5%	1/day	1 km :: Land/R	N/A :: Sfc
2380	Level-2 Radiance, Land_leaving	LR	Kaufman, Tanre	MODIS	AM,PM	GSFC	AL	W/m^2/sr/um	10% :: 5%	1/day, 1/mo	10 km :: Land	N/A :: Sfc
2381	Level-2 Radiance, Land_leaving	LR	Kaufman, Tanre	MODIS	AM,PM	GSFC	AL	W/m^2/sr/um	10% :: 5%	1/day	0.5 km :: Land/R	N/A :: Sfc
1874	Precipitable Water	AH	Kaufman, Tanre	MODIS	AM,PM	GSFC	AL	dimensionless ?	8% :: 6%	1/day	5 km :: Land	N/A :: Atmos
3321	Precipitable Water	AH	Kaufman, Tanre	MODIS	AM,PM	GSFC	AL	dimensionless ?	12% :: 8%	1 day, mo	1 km :: Land	N/A :: Atmos
3322	Precipitable Water	AH	Kaufman, Tanre	MODIS	AM,PM	GSFC	AL	dimensionless ?	5% :: 3%	1 day, mo	1 dg :: Land	N/A :: Atmos
2081	Cloud Cover	AH	King	MODIS	AM,PM	GSFC	AL	%	10% :: 5%	2/day [d,n], 1/mo	5 km :: G	N/A :: Cloud
2082	Cloud Cover	AH	King	MODIS	AM,PM	GSFC	AL	%	10% :: 5%	1/day, 1/mo	1 dg :: G	N/A :: Cloud
2311	*Cloud Optical Depth*	AR	King	MODIS	AM,PM	GSFC	AL	dimensionless	20% :: 10%	1/day [d]	5 km :: G	N/A :: Cloud
2312	*Cloud Optical Depth*	AR	King	MODIS	AM,PM	GSFC	AL	dimensionless	20% :: 10%	1/day, 1/mo	1 dg :: G	N/A :: Cloud
1764	Cloud Drop Phase	AH	King, Menzel	MODIS	AM,PM	GSFC	AL	water/ice	90% Conf :: 90% Conf	1/day	5 km :: G	N/A :: Cloud
1765	Cloud Drop Phase	AH	King, Menzel	MODIS	AM,PM	GSFC	AL	water/ice	90% Conf :: 90% Conf	1/day, 1/mo	1 dg :: G	N/A :: Cloud
1780	Cloud Drop Size(Effective Radius)	AH	King, Menzel	MODIS	AM,PM	GSFC	AL	um	0-40% :: 5%	1/day	5 km :: G	N/A :: Cloud
1781	Cloud Drop Size(Effective Radius)	AH	King, Menzel	MODIS	AM,PM	GSFC	AL	um	0-40% :: 5%	1/day, 1/mo	1 dg :: G	N/A :: Cloud
2094	Cloud JPDF	AH	King, Menzel	MODIS	AM,PM	GSFC	PL	dimensionless		1/day, 1/mo	1 dg :: G	N/A :: N/A
2126	*Cloud Emissivity*	AR	Menzel	MODIS	AM,PM	GSFC	AL	dimensionless	0.10 :: 0.05	2/day	5 km :: G	N/A :: Cloud
2127	*Cloud Emissivity*	AR	Menzel	MODIS	AM,PM	GSFC	AL	dimensionless	0.10 :: 0.05	1/day, 1/mo	1 dg :: G	N/A :: Cloud
2116	Cloud Emissivity	AR	Menzel	MODIS	AM,PM	GSFC	PL	dimensionless				N/A :: Cloud
1528	Cloud Pressure, Top	AH	Menzel	MODIS	AM,PM	GSFC	AL	mb	50 mb :: 20 mb	2/day	5 km :: G	N/A :: Cloud
1529	Cloud Pressure, Top	AH	Menzel	MODIS	AM,PM	GSFC	AL	mb	50 mb :: 20 mb	1/day, 1/mo	1 dg :: G	N/A :: Cloud
2466	*Cloud Temperature, Top*	AR	Menzel	MODIS	AM,PM	GSFC	AL	C	2 C :: 1 C	1/day, 1/mo	1 dg :: G	N/A :: Cloud
2467	*Cloud Temperature, Top*	AR	Menzel	MODIS	AM,PM	GSFC	AL	C	2 C :: 1 C	2/day	5 km :: G	N/A :: Cloud
1333	O3 Total Burden	AC	Menzel	MODIS	AM,PM	GSFC	AL	DU	15-20DU :: 10DU	2/day, 1/day	5 km :: G	Column :: Atmos
1334	O3 Total Burden	AC	Menzel	MODIS	AM,PM	GSFC	AL	DU	15-20DU :: 10DU	1/day, 1/mo	0.5 dg :: G	Column :: Atmos
1875	Precipitable Water	AH	Menzel	MODIS	AM,PM	GSFC	AL	mm	10 mm :: 5 mm	2/day	5 km :: G	N/A :: Atmos
1559	Stability (Lifted Index), Atmospheric	AD	Menzel	MODIS	AM,PM	GSFC	AL	C	2 C :: 1 C	2/day	5 km :: G	N/A :: Atmos
1560	Stability (Lifted Index), Atmospheric	AD	Menzel	MODIS	AM,PM	GSFC	AL	C	2 C :: 1 C	2/day, 1/mo	0.5 dg :: G	N/A :: Atmos
3668	Ground Control Points, Potential	IU	Muller	MODIS	AM,PM	GSFC	AL		0.3 pixels ::		0.3 pixels :: Land/L	N/A :: Sfc
2404	Land_sfc Radiance-Correction, Topographic	LR	Muller	MODIS	AM,PM	EDC	AL		1 km :: 0.3 km	1/day	1 km :: Land/R	N/A :: Sfc
2405	Land_sfc Radiance-Correction, Topographic	LR	Muller	MODIS	AM,PM	EDC	AL		1 km :: 0.3 km	1/day	10 km :: Land	N/A :: Sfc

Output Data Products Listed by Instrument

08/24/92

Prod #	Product Name	Cat	Investigator	Instrument	Platform	DAAC	Time frame	Units	Accuracy Abs :: Rel	Temporal Resolution	Horizontal Resol. :: Cover.	Vertical Resol. :: Cover.
3671	Photogrammetric Camera Model	IC	Muller	MODIS	AM,PM	GSFC	BL				N/A :: N/A	N/A :: N/A
3672	Simulated Data Sets, MODIS	IC	Muller	MODIS	AM,PM	GSFC	BL				0.25-1 km :: L(test sites)	N/A :: Sfc
3673	Simulated Scenes, MODIS, Monte Carlo Ray-Tracing	IC	Muller	MODIS	AM,PM	GSFC	BL				0.25-1 km :: L(test sites)	N/A :: Sfc
2001	Albedo, Spectral, TOA	AR	Muller, Strahler	MODIS	AM,PM	GSFC	AL	fraction	10% :: 5%	1/(3-8 day)	1 km :: Land/R	N/A :: TOA
2434	Land_sfc Reflectance, Directional	LR	Muller, Strahler	MODIS	AM,PM	EDC	AL	fraction	5% :: 3%	1/day	1 km :: R	N/A :: Sfc
3665	Albedo, Spectral, Land_sfc	LR	Muller, Strahler, Tanre	MODIS	AM,PM	EDC	PL	fraction	5% :: 3%	1/day	1 km :: Land/R	N/A :: Sfc
3666	Albedo, Total [SW], Land_sfc	LR	Muller, Strahler, Tanre	MODIS	AM,PM	EDC	PL	fraction	5% :: 3%	1/day	1 km :: Land/R	N/A :: Sfc
3667	Albedo, Total [SW], TOA	LR	Muller, Strahler, Tanre	MODIS	AM,PM	GSFC	PL	fraction	5% :: 3%	1/day	1 km :: Land/R	N/A :: TOA
3669	Land_sfc Reflectance, Bidirectional (BRDF)	LR	Muller, Strahler, Tanre	MODIS	AM,PM	EDC	PL	fraction	5% :: 3%	1/day	1 km :: Land/R	N/A :: Sfc
3670	Land_sfc Roughness	LR	Muller, Tanre	MODIS	AM,PM	EDC	PL		5% :: 3%	1/day	1 km :: Land/R	N/A :: Sfc
3216	Particulate Backscatter Coef	OR	Parslow	MODIS	AM,PM	GSFC	PL	/m	:: 30%	1/day	1 km :: Ocean	N/A :: TOO
3217	Particulate Backscatter Coef	OR	Parslow	MODIS	AM,PM	GSFC	PL	/m	:: 30%	1/day	20 km :: Ocean	N/A :: TOO
2582	Organic Matter Conc, Dissolved	OB	Parslow et al	MODIS	AM,PM	GSFC	AL	mg/m^3	150% :: 30%	1/day, 1/wk, 1/mo	20 km :: Ocean	N/A :: TOO
2583	Organic Matter Conc, Dissolved	OB	Parslow et al	MODIS	AM,PM	GSFC	AL	mg/m^3	150% :: 30%	1/day, 1/wk, 1/mo	1 km :: Ocean [Southern]R,L	N/A :: TOO
2680	*Vegetation Index, Leaf Area, (LAI)*	LB	Running	MODIS	AM,PM	EDC	PL	dimensionless	0.1-0.25 :: 5-20%	1/day, 1/wk	pixel_size :: Land/G,R,L	N/A :: N/A
2703	*Vegetation Productivity, Primary*	LB	Running	MODIS	AM,PM	EDC	PL	Mg/km^2/yr	100 :: 5-30%	1/wk, 1/mo, 1/yr	1 km :: Land/G,R	N/A :: N/A
2723	Vegetation Stress	LB	Running, Huete	MODIS	AM,PM	EDC	PL	s/m	200-1000 :: 5-30%	1/day, 1/wk	pixel_size :: Land/G,R,L	N/A :: N/A
3641	*Cloud Cover*	AH	Salomonson?	MODIS	AM,PM	GSFC	AL	%	10% :: 5%	1/mo (day & night)	0.25 km :: G	N/A :: Cloud
2282	Cloud Masking-shadowing	AR	Salomonson	MODIS	AM,PM	GSFC	AL	dimensionless	5% ::	1/day	.25 km :: G	N/A :: Sfc
2283	Cloud Masking-shadowing	AR	Salomonson	MODIS	AM,PM	GSFC	AL	dimensionless	30% ::	1/day	1 km :: G	N/A :: Sfc
2284	Cloud Masking-shadowing	AR	Salomonson	MODIS	AM,PM	GSFC	AL	dimensionless	15% ::	1/day	0.5 km :: G	N/A :: Sfc
2338	Level-1B Radiance, MODIS<3um	AR	Salomonson	MODIS	AM,PM	GSFC	AL	W/m^2/sr/um	5%(1Σ) :: RMS<NEdl.	1/day	0.5 km :: G	N/A :: N/A
2339	Level-1B Radiance, MODIS<3um	AR	Salomonson	MODIS	AM,PM	GSFC	AL	W/m^2/sr/um	5%(1Σ) :: RMS<NEdl.	1/day	1 km :: G	N/A :: N/A
2392	Level-1B Radiance, MODIS<3um	AR	Salomonson	MODIS	AM,PM	GSFC	AL	W/m^2/sr/um	5%(1Σ) :: RMS<NEdl.	1/day	0.25 km :: G	N/A :: N/A
2340	Level-1B Radiance, MODIS>3um	AR	Salomonson	MODIS	AM,PM	GSFC	AL	W/m^2/sr/um	1%(1Σ) :: RMS<NEdl.	1/day	1 km :: G	N/A :: N/A
3153	Sea_Ice Max Extent	OH	Salomonson	MODIS	AM,PM	NSIDC	AL	km^2	<=5% :: <=5%	1/day, 1/wk, 1/mo	10 km :: Ocean/Cryo	N/A :: Sfc
3154	Sea_Ice Max Extent	OH	Salomonson	MODIS	AM,PM	NSIDC	AL	km^2	<=5% :: <=5%	1/day, 1/wk, 1/mo	1 km :: Ocean/Cryo,R	N/A :: Sfc
3020	Snow Cover	LH	Salomonson	MODIS	AM,PM	NSIDC	AL	km^2	<=5% :: <=5%	1/day, 1/wk	10 km :: Land	N/A :: Sfc
3021	Snow Cover	LH	Salomonson	MODIS	AM,PM	NSIDC	AL	km^2	<=5% :: <=5%	1/day, 1/wk	1 km :: Land/R	N/A :: Sfc
3656	Geometric Error, MODIS Level-2	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					
3657	Geometric Error, MODIS Level-3	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					
3645	Instrument Characteristics, MODIS Level-1	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	AL					
3648	Instrument Model, MODIS Level-1	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	AL					
3652	Irradiance, Lunar, MODIS Level-2	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					
3651	Irradiance, Solar, MODIS Level-2	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					
3654	Radiance Error, MODIS Level-2	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	AL					
3646	Radiance, At-Satellite, MODIS Level-1	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	AL					
3650	Radiance, Lunar Reference, MODIS Level-1	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					
3649	Radiance, Solar Diffuser, MODIS Level-	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					
3655	Reflectance Error, MODIS Level-2	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					

Output Data Products Listed by Instrument

08/24/92

Prod #	Product Name	Cat	Investigator	Instrument	Platform	DAAC	Time frame	Units	Accuracy Abs :: Rel	Temporal Resolution	Horizontal Resol. :: Cover.	Vertical Resol. :: Cover.
3647	Reflectance, Exoatmospheric, MODIS Level-2	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	AL					
3653	Reflectance, Lunar, MODIS Level-2	IC	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					
3658	Texture, MODIS Level-2	IU	Salomonson, Barker	MODIS	AM,PM	GSFC	AL					
3659	Texture, MODIS Level-3	IU	Salomonson, Barker	MODIS	AM,PM	GSFC	PL					
3660	Classification Masks, Clouds/Snow/Land/Water, MODIS Level-2	IU	Salomonson, Barker (with Hall)	MODIS	AM,PM	GSFC	AL					
3661	Classification Masks, Clouds/Snow/Land/Water, MODIS Level-3	IU	Salomonson, Barker (with Hall)	MODIS	AM,PM	GSFC	PL					
2669	*Land_Cover Type*	LB	Strahler, Huete et al	MODIS	AM,PM	EDC	AL	categorical fraction	10% :: 5%	1/mo, 1/seas	1 km :: Land	N/A :: Sfc
2670	*Land_Cover Type*	LB	Strahler, Huete et al	MODIS	AM,PM	EDC	AL	categorical fraction	10% :: 5%	1/mo, 1/seas	5 km :: Land	N/A :: Sfc
2671	*Land_Cover Type-Change*	LB	Strahler, Huete et al	MODIS	AM,PM	EDC	AL	categorical fraction	10% :: 7%	1/seas	1 km :: Land	N/A :: Sfc
2672	*Land_Cover Type-Change*	LB	Strahler, Huete et al	MODIS	AM,PM	EDC	AL	categorical fraction	10% :: 7%	1/seas	5 km :: Land	N/A :: Sfc
2268	PAR, Incident, (IPAR)	AR	Tanre	MODIS	AM,PM	EDC	PL	MJ/m^2	200 :: 5 - 20%	1/day, 1/wk	1 km :: G,R	N/A :: Atmos
2294	*Aerosol Optical Depth, Spectral*	AR	Tanre, Kaufman	MODIS	AM,PM	GSFC	AL	dimensionless	0.05 :: 0.02	1/day, 1/mo	0.5 dg :: Ocean	N/A :: Atmos
1022	*Aerosol Size-distribution (Radius-Dispersion)*	AC	Tanre, Kaufman	MODIS	AM,PM	GSFC	AL	um, dimensionless	10-30% :: 10%	1/day,1/mo	0.5 dg :: G,R	N/A :: Atmos
2003	*Albedo, Aerosol*	AR	Tanre, Kaufman	MODIS	AM,PM	GSFC	PL	dimensionless	0.06 :: 0.03	1/day, 1/mo	0.5 dg :: G,R	N/A :: Atmos
2015	Albedo, Land_sfc	LR	Tanre, Muller	MODIS	AM,PM	EDC	PL	dimensionless	15% :: 5 - 8%	1/day, 1/wk	1 km :: G,R	N/A :: Sfc
2016	Albedo, Land_sfc	LR	Tanre, Muller	MODIS	AM,PM	EDC	PL	dimensionless	15% :: 5 - 8%	1/day, 1/wk	10 km :: G,R	N/A :: Sfc
2424	Land_sfc Reflectance, Bi-directional, (BRDF)	LR	Tanre, Muller	MODIS	AM,PM	EDC	PL	%	15% :: 5 - 8%	1/day, 1/wk	1 km :: G,R	N/A :: Sfc
2425	Land_sfc Reflectance, Bi-directional, (BRDF)	LR	Tanre, Muller	MODIS	AM,PM	EDC	PL	%	15% :: 5 - 8%	1/day, 1/wk	10 km :: G,R	N/A :: Sfc
1556	Land_sfc Roughness	AD	Tanre, Muller	MODIS	AM,PM	EDC	PL	dimensionless	15% :: 5 - 8%	1/day, 1/wk	1 km :: G,R	N/A :: Sfc
1557	Land_sfc Roughness	AD	Tanre, Muller	MODIS	AM,PM	EDC	PL	dimensionless	15% :: 5 - 8%	1/day, 1/wk	10 km :: G,R	N/A :: Sfc
3696	Land_sfc BRDF, AM-PM Asymmetry	LR	Vanderbilt	MODIS	AM,PM	GSFC	PL	1/sr	5% :: 30%	1 day	250 m, 1 km :: Land	N/A :: Sfc
3697	Land_sfc BRDF, AM-PM Degree_of_Asymmetry	LR	Vanderbilt	MODIS	AM,PM	GSFC	PL	%	30% :: 30%	1 day	250 m, 1 km :: Land	N/A :: Sfc
2337	*Vegetation Index, Polarization*	LB	Vanderbilt	MODIS	AM,PM	EDC	PL	dimensionless		1/day	pixel_size :: Land	N/A :: Sfc
3323	Land_sfc Emissivity	LR	Wan	MODIS	AM,PM	EDC	PL	dimensionless	0.05 :: 0.02	1 day, 1 wk	1 km :: Land/R	N/A :: Sfc
3324	Land_sfc Emissivity	LR	Wan	MODIS	AM,PM	EDC	PL	dimensionless	0.05 :: 0.02	1 day, 1 wk	10 km :: Land	N/A :: Sfc
2484	*Land_sfc Temperature*	LR	Wan	MODIS	AM,PM	EDC	AL	C	1 C :: 1 C	1/day, 1/wk	1 km :: Land/R	N/A :: Sfc
2485	Land_sfc Temperature	LR	Wan	MODIS	AM,PM	EDC	AL	C	1-3 C :: 1 C	1/day, 1/wk	10 km :: Land	N/A :: Sfc