

POLARIZATION DATA--STATUS OF GSFC ANALYSIS  
March 15, 1995

SBRC has delivered 4 sets of polarization data to GSFC.

Set 1: Bands 1-4,8 at -45, 0, 35 and 45 degrees.

Set 2: Band 1 at 45 degrees (different gains).

Set 3: Bands 3-4,8,13,14 at 45 degrees (different gains).

Set 4: Bands 3,4,8 (taken in March).

Set 1 has been processed and examined. Sets 2-3 have been processed.


The Raw Data has noise and some yet to be explained features. Taking Peak-To-Peak differences, all detectors in Set 1 have polarization < 3%

To minimize noise, SBRC fits a curve through the data. One expects to see a  $\cos^2$  variation; a slope is also observed. SBRC includes the slope in their fits. Using the fit values lowers the polarization factor by ~0.5%.


Differences between channels within a band are observed to be up to 1%. Channels at one end of the track (detectors near 10,20,40) are consistently high.

CAVEATS: DATA TAKEN UNDER NON-OPTIMUM CONDITIONS  
GSFC HAS CONCERNS ABOUT CURVE FITS  
NOT ALL FEATURES HAVE BEEN EXAMINED YET


**MODIS EM Polarization**  
**Band 2 Channel 20 Side 2 Scan Angle 45 Deg.**




**MODIS EM Polarization**  
**Band 2 Channel 10 Side 2 Scan Angle -45 Deg.**




MODIS EM Polarization  
 Band 3 Channel 10 Side 2 Scan Angle -45 Deg.




Polarization Factor  
as a Function of Scan Angle



### Polarization Factor as a Function of Scan Angle




### Polarization Factor as a Function of Scan Angle



Curve Fit:  
 $A+B*\cos^2(\theta+\phi)$   
 $+C*\theta$

### Polarization Factor as a Function of Scan Angle



Curve Fit:  
 $A+B*\cos^2(\theta+\phi)$   
 $+C*\theta$

Polarization Factor  
as a Function of Scan Angle

