



MODIS Land Data Formats and Access

MODIS Science Team Meeting (Land Discipline Breakout Session)


July 13, 2004 Robert Wolfe Raytheon ITSS @ NASA GSFC Code 922







Land Algorithm Dependency






Product Format

- Hierarchical Data Format (HDF) Self describing file format
- Science Data Sets (SDSs) 2D, 3D or 4D arrays
 - Bit Fields unsigned integers broken into groups of bits
 - Discrete values e.g., Snow, Cloud, etc.
 - Scaled Integers valid range, scale and offset included
- Attributes text or other data that annotates the file (global) or arrays (SDSs)
- Metadata ECS metadata for products (stored as attributes)
 - includes QA information, date/time products acquired/produced, etc.
- .met file contains the ECS core metadata
 - some additional fields
 - some fields (QA, etc.) may be updated when product distributed
- HDF-EOS Metadata (SWATH or GRID) geometric information that relates data to specific earth locations




Level 2 Products

- Retrieved geophysical parameters at the same location and in the same format as the MODIS Level 1 instrument data
 - 288 granules/day; 5 min.; approx. 2340 x 2030 km
 - 250m, 500m and 1km nadir resolutions





Level 2G, 3 and 4 Products (fine resolution)




- Level 2G/3: earth-gridded geophysical parameters
- Level 4: earth-gridded model outputs
- Daily, 8-day, 16-day, 32-day, monthly and yearly products
- Fine resolution grid(s)
 - 10° x 10° Tiles:
 - Sinusoidal (equatorial);
 7.5, 15 and 30 arcsec. resolution (roughly 250m, 500m and 1 km)
 - LAEA (sea-ice products, polar projection)

Lambert Azimuthal Equal Area (LAEA)



Climate modeling grid products

- Resolution: 0.05° (now) and 0.25° (previous) degrees
- Almost all products are lat/long
 - sea-ice is current exception in polar grid (snow in C5)



(from BU – NBAR CMG – days 193-208, 2001)

July 12, 2004 - Wolfe - MODLAND Mtng.



MODIS products per day @ 1X*

Туре	Produced by	Product Generation Executives	Volume GB/day	Files/day
Level 0	EDOS	N/A	67	12
Level 1+	GES DAAC MODAPS	6 DAAC 2 MODAPS	235	4,500
Oceans SST, Atmospheres	MODAPS	16	18 Atmos 80 SST	2,400 Atmos 2,950 Oceans
Land	MODAPS	27	330	9,500
Snow/Sea I ce	MODAPS	9	12	2,300
Totals		60	742	24,600

* Sustained processing rate is currently 6X (4X for reprocessing + 1X forward Terra + 1X forward Aqua)



Getting MODIS Data

- Order from DAAC through EOS Data Gateway
 - response is a few hours
 - services (e.g. subsetting) available for some products
- Get data from DAAC data pools
 - most recently produced data are online and available via FTP
- Get data from other sources (Science team sites, MODIS Rapid Response, direct broadcast, etc.)



Earth Observing System Data Gateway Search for and order earth science data products from NASA and affiliated centers









the BLUE MARBLE







MODIS Data Distribution

- MODIS DAACs distribute more than 1.3 TB/day of MODIS standard products
 - about 130,000 product files/day
 - Land products distributed from EDC and NSI DC DAACs are about 1/3 of the total
- Science team and other non-DAAC distribution (rapid response) add an additional 0.1 TB/day



DAAC distribution services

- Subsetting via. EDG (through HEW Subsetting Appliance)
 - Only implemented at NSIDC all products (except CMGs)
- Service for products in Data Pools using HEG
 - Spatial and parameter subsetting
 - NSI DC: all product except CMGs
 - EDC LP: phased release some product already released
 - Compression Gzip, Zip, Unix compression (.gz, .zip, .z)
 - Format conversion
 - NSIDC: L2 products currently (L2 swath); other products soon
 - EDC all products (as released)
 - Newly installed ECS version 6A.07 system has capability to stage data through data pools – so users "should" be able to apply Compression and Format Conversion by first ordering the data using EDG and then performing the services before downloading data
- USGS seamless distribution system (spatial and parameter subsetting, compression and format conversion)
 - currently only 500m 16-day VI/EVI (MOD13A2 for 2000 to 2003)
- Data mining script for data pools (MODextract)
 - works for L3 tiles for user specified date range finds and downloads data automatically



DAAC developed/supported user tools

- MODIS Reprojection Tools (EDC LP DAAC)
 - both grid and swath (new)
 - reprojection (resampling)
 - also: spatial subsetting, parameter subsetting, mosaics and format conversion
- LDOPE tools (EDC LP DAAC)
 (see Roy's slides)



Other tools

ols list - Microsoft II	nternet Explorer					
Edit View Favorite	s <u>T</u> ools <u>H</u> elp		2			
Back - 🔘 - 💌	🗟 🏠 🔎 Search 🤺 Favorites 🜒 Media 🥹 🙆 🗸 🎍	🗹 · 🗾 🚳				
ess 🍯 http://hdfeos.gs	fc.nasa.gov/hdfeos/softwarelist.cfm		💽 🎦 Go 🛛 Links			
NASA	HDF-EOS Tools and Information	n Center	*			
HDF/HDF-EOS Workshop VIII	Where are you: <u>Home</u> » Tool List	htt	p://hdfeos	.gsfc.nasa.gov/hdfeos		
 Information coming 	Tool List	ent area		ger enne engen mer ee		
5000	The software listed below supports HDF or HDF-EOS. Some his submitted to us by site users. All the postings listed are belie youch for the software quality or for its suitability for any par	ved to be accurate, but f	IASA ESDIS can not			
Home	and have an opinion of it, or of its suitability for a particular p	urpose, we encourage yo	u to post your own			
Tools	review by clicking on the "Submit comments" link at the bottom of the Tool Details page for the tool of interest. Your review will be sent to the website administrator and posted at a later date. Of course any HDF-EOS TOOLS					
User Forum	reviews posted reflect the opinion of the reviewer and not of					
HDF/HDF-EOS Workshops				User Forum		
Information and Documentation	with one time from			USEL FOLUIT		
Metadata Standards and Models	All Categories	All Data Applications	Update	can be useful for		
News Links	Displaying 52 records in total.			new EOS data		
Contact Us	Format Converters					
		Date Updated (mm/dd/yyyy)	Rating	users		
Responsible NASA Official: Richard Ullman	HDF-EOS Binary Dumper bindmp creates an output file which contains binary data for a specified HDF-EOS object.	10/27/2001	Not rated	(same site)		
Content Owner: Lori J. Tyshla	Platform(s): DEC, SGI Data Application(s): All Data Applications, gridded data, point data, swath data					
Webmaster: Weijun Su	License: SESDA					
	HDF-EOS Data Extractor (HEEX) v1.2 HDF-EOS Data Extractor (HEEX) is a command-line tool for data users to extract HDF-EOS 2 or HDF- EOS 5 data to binary or ASCII data format in HTML or XML index file. Precompiled binaries are provided	02/06/2004	Not rated			
	for Linux, SGI, and Solaris machines; source code is included for compiling on other platforms.			13		